


Ask — fill params

ask-params-dialog.html · 680×680



1 Fill in the saved question ×

"Results for a model" · 3 inputs

2 "Composite score for a **given model**, grouped by a **chosen dimension**, over runs with at least **N rounds**."

3 Model **CATEGORY**

Opus 4.8

4 Group by **DIMENSION**

Nudge

Minimum rounds **NUMBER**

3

 Runs read-only, using only the data you're allowed to see.

5 Cancel **6**  Run

Annotations

- 1 Parameterized ask** Opens when a **parameterized** saved question is clicked on the Ask surface: collect its inputs, then run. Fully-fixed questions skip this and run on one click. Only the blanks you chose to make fill-in-the-blank when you saved are asked here. Values you locked in then (like 'top 5') stay fixed and are never asked.
- 2 The saved prompt** `canonical_prompt` — the stored question text; its `%(...)`s / `{{...}}` slots are filled by the inputs below.
- 3** The list of models you're allowed to pick from.

4 **How inputs bind** Category / number inputs bind as `%(model)s / %(min_rounds)s`; a dimension is allowlist-substituted as `{{group_by}}` (not a free value) and the query is re-validated. The model list comes from `model_catalog` under your permissions. Choose how to break the results into groups.

5 Discard changes and close.

6 Run this question against the results.